| Manufacturer | Equipment | | Standard ⁽²⁾ | Combination | Natisiaatiaa | |
|--------------|-------------|---|---|-------------------------|--------------|--|
| | Designation | | Standard(2) | with SMD ⁽³⁾ | Notification | |
| CEIA | 02PN10K-EVO | Hardware: Antenna: Detection Algorithm: CONOPS: | 02PN10K/PZ-EVO V2.00x Control Unit Board SCD73 SS65 PV 1010, IS=EU-STD-2 FI060K0098v1103xUK (Quick guide) | 2.1 | YES | 12/03/2019 09/12/2022 ^(CE) |
| CEIA | HI-PE PLUS | Hardware: Antenna: Detection Algorithm: CONOPS: | HIPEPLUS/PZ SS65 LXDA2000 FI060K0108v2300 | 2.1 | YES | 08/07/2019 09/12/2022 ^(CE) |
| CEIA | PMD3 Plus | Hardware: Antenna: Detection Algorithm: CONOPS: | PMD3Plus/PZ SS65 LXDA2000 (EU-STD-2) FI060K0108v2310 | 2.1 | YES | 04/12/2020 09/12/2022 ^(CE) |
| CEIA | 02PN20 | Hardware: Antenna: Detection Algorithm: CONOPS: | 02PN20/PZ SS65 LXDA2000 (EU-STD-2) FI060K0108v2320 | 2.1 | YES | 19/03/2021 09/12/2022 ^(CE) |

| Manufacturer | Equipment | | | Standard ⁽²⁾ | Combination | Natification |
|--------------|-----------------------|----------------------|---------------------|-------------------------|--------------|----------------------------|
| Manuracturer | Designation | C | Standard(2) | with SMD ⁽³⁾ | Notification | |
| | | Hardware: | 02PN20/EZ | | | |
| CEIA | 02PN20 Elliptic | Antenna: | NN76 | 2.1 | YES | 12/05/2022 |
| | | Detection Algorithm: | LXDA2000 (EU-STD-2) | | | 09/12/2022 ^(CE) |
| | | CONOPS: | FI060K0108v2400 | | | |
| CEIA | PMD2 PLUS Elliptic | Hardware: | PMD2PLUS/EZ | 2.1 | YES | 2 |
| | | Antenna: | NN76 | | | 09/12/2022 |
| | | Detection Algorithm: | LXDA2000 (EU-STD-2) | | | |
| | | CONOPS: | FI060K0108v2400 | | | |

| Manufacturer | Equipment | | | Ctondoud(2) | Combination | Natisiaatiaa |
|--------------|-------------|----------------------|---------------------|-------------------------|-------------------------|----------------------------|
| Manufacturer | Designation | С | onfiguration (¹) | Standard ⁽²⁾ | with SMD ⁽³⁾ | Notification |
| | | Hardware: | 2340510 and 2340720 | | | |
| Garrett | PD 6500i | Antenna: | 223320x and 223335x | 2.1 | NO | 17/12/2021 |
| | | Detection Algorithm: | ECAC / SE=162 | | | 09/12/2022 ^(CE) |
| | | CONOPS: | 1532010 | | | |

| Manufacturer | Equipment | | | Ctondoud(2) | Combination | Natisiaatiaa |
|--------------|-------------|-----------------------|---|-------------------------|-------------------------|--------------|
| | Designation | С | onfiguration (1) | Standard ⁽²⁾ | with SMD ⁽³⁾ | Notification |
| | | Hardware: Antenna: | Electronics, p/n 23106448 Coil Set1, p/n 23109437 Coil Set2, p/n 23109438 | | | |
| Rapiscan | Metor 6E | Detection Algorithm: | Software, Detection Core, Metor 6E p/n 101021459, v1.00, EU2 | 2 | NO | 08/07/2019 |
| | | CONOPS: | CONOPS, ECAC CEP, Metor 6E, "Quick Guide", p/n D01499, v1 | | | |
| | | Hardware: | Electronics, p/n 23113530 | | | |
| | | Antenna: | RX Coils, p/n 101017805 TX Coils, p/n 101017806 | | | |
| Rapiscan | Metor 900M | Detection Algorithm: | V 1.3.1 EU2 HD, Sensitivity 100 | 2 | YES | 17/12/2021 |
| | 1 | CONOPS: | V1.0, p/n D05693 | | | |

| Manufacturer | Equipment | | | Standard ⁽²⁾ | Combination | Notification |
|--------------|-------------|----------------------|------------------------|-------------------------|--------------|--------------|
| Manufacturei | Designation | Co | Standard | with SMD ⁽³⁾ | Notification | |
| | | Hardware: | 1.0 | | | |
| Nuctech | MD2000 | Antenna: | MBP1-2.13 MBP2-2.13 | 2 | NO | 07/04/2020 |
| | | Detection Algorithm: | 08.00.06.00 | | | |
| | | CONOPS: | V1.0 / 01-2020 | | | |

Notes:

- (1) Information on configuration is provided by the equipment manufacturer as part of the testing process.
- (2) Configurations meeting the Standards 2 or 2.1 are not automatically considered to meet STD 1 or 1.1, respectively.
- (3) Compliant to be used in combination with SMD, have passed the location indication test
- (CE) The entry has been modified by the Secretariat generally to amend typos and errors in the designation of configuration details, previous endorsement by the CEP-MG, but also to update the standard in case of regulatory changes.

Changes compared to the previous version (i.e. 12 May 2022) are displayed in blue colour.